



LEMMY



SIZES



THICKNESSES



FINISH

SPAZZOLATA



LY01
PALLADIUM

LY02
NIMBUS

LY03
EXCALIBUR

LY09
KING

LY04
VENOM

LY05
AFTERGLOW

LY08
PUMPKIN

LY07
INDIO

LY06
VIRIDIUM

FRESH BLUE



INDIO
1200
LY07 SP 600x / 24"x48"



WALL . INDIO LY07 SP 600X1200 / 24"X48"
FLOOR . AFTERGLOW LY05 SP 150X600 / 6"x24"

INTENSE COTTO



PUMPKIN

LY08 SP 600x1200 / 24"x48"



WALL . PUMPKIN LY08 SP 600x1200 / 24"x48"

WALL . PUMPKIN LY08 SP 600X1200 / 24"X48"
FLOOR . NIMBUS LY02 SP 600X600 / 24"X24"
SHOWER. NIMBUS LY02 SP 1200X2780 / 48"X110"



CLEAR AND BRIGHT



PALLADIUM

LY01 SP 1200x2780 / 48"x110"



FLOOR . PALLADIUM LY01 SP 600x1200 / 24"x48"



WALL . PALLADIUM LY01 SP 1200X2780 / 48"X110"

FLOOR . PALLADIUM LY01 SP 600X600 / 24"X24"

BENCH . JEWELS RAYMI JW16 LUC



LIGHT GREY



NIMBUS

LY02 SP 1200x2780 / 48"x110"



WALL . NIMBUS LY02 SP 1200x2780 / 48"x110"



FLOOR .
NIMBUS LY02 SP 600x1200 / 24"x48"

TABLE .
JEWELS MOONLESS JW17 LUC



WALL . PALLADIUM LY01 SP 1200X2780/ 48"X110"
 FLOOR . NIMBUS LY02 SP 1200X1200 /48"X48"
 COUNTER . VENOM LY04 SP



SILVER GREY



EXCALIBUR

LY03 SP 1200x2780 / 48"x110"



FLOOR . EXCALIBUR LY03 SP 1200x1200 / 48"x48"

WALL . EXCALIBUR LY03 SP 1200x2780 / 48"x110"



WALL . NORR GRÅ RR02 NAT 1200X2780 / 48"x110"
FLOOR . EXCALIBUR LY03 SP 1200X1200 / 48"x48"
BENCH . NORR GRÅ RR02 NAT



WALL . NIMBUS LY02 SP 150X600 /24"
 6"X FLOOR . EXCALIBUR LY03 SP/ 24"x24"
 600X600



DEEP GREY



KING

LY09 SP 1200x1200 / 48"x48"



WALL . KING LY 09 SP 1200x1200 / 48"x48"

FLOOR . KING LY 09 SP 1200x1200 / 48"x48"



WALL . KING LY 09 150X600 / 6"x24"

VELVET DARK



VENOM

LY04 SP 1200x2780 / 48"x110"



WALL . VENOM LY04 SP 1200X2780 / 48"X110"


FLOOR . JURUPA WILD JP05 NAT 200X1200 / 8"x48"



WALL . ESP2IR FR2ID LUC 1200X2780 / 48"X110"

FLOOR . VENOM LY04 SP 600X600 / 24"X24"

BENCH. VIRIDIUM LY06 - INDIO LY07 - EXCALIBUR LY03



LIGHT GOLD



AFTERGLOW

LY05 SP 1200x2780 / 48"x110"



WALL . AFTERGLOW LY05 SP PLUME 300x300 / 12"x12"



WALL . AFTERGLOW LY05 SP 1200x2780 / 48"x110"





WALL .
AFTERGLOW LY05 SP 600x1200 / 24"x48"

FLOOR .
JURUPA MASTER JP03 NAT 200x100 / 8"x48"

BENCH.
VENOM LY04 SP

SOFT GREEN



VIRIDIUM

LY06 SP 600x1200 / 24"x48"



FLOOR . VIRIDIUM LY06 SP 600x1200 / 24"x48"

TABLE . NIMBUS LY02 SP



WALL .
NIMBUS LY02 SP 1200x2780 / 48"x110"

FLOOR .
VIRIDIUM LY06 SP 600x1200 / 24"x48"

TABLE .
NIMBUS LY02 SP

COUNTER .
JURUPA CAMP JP04 NA2000X1200 / 8"x48"

PALLADIUM
LY01

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	03
MAPEI	111 Grigio Argento
LATICRETE	88 Silver Shadow



NIMBUS
LY02

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	05
MAPEI	110 Manhattan
LATICRETE	89 Smoke Grey



EXCALIBUR
LY03

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	05
MAPEI	112 Grigio Medio
LATICRETE	78 Sterling Silver



KING
LY09

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ


300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	08
MAPEI	114 Antracite
LATICRETE	45 Raven



VENOM
LY04

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	11
MAPEI	114 Antracite
LATICRETE	45 Raven



AFTERGLOW
LY05

6 mm

1200x2780 / 48"x110"
SP SQ

9 mm

1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	20
MAPEI	110 Manhattan
LATICRETE	89 Smoke Grey



VIRIDIUM
LY06

9 mm

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	19
MAPEI	114 Antracite
LATICRETE	45 Raven



INDIO
LY07

9 mm

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	15
MAPEI	114 Antracite
LATICRETE	45 Raven



PUMPKIN
LY08

9 mm

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	31
MAPEI	112 Grigio Medio
LATICRETE	78 Sterling Silver




SHADE
VARIATION
SLIGHT

FLOOR . PUMPKIN LY08 SP 600x600 / 24"x24"



RIASSUNTIVO FORMATI E IMBALLI
SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES
规格和包装概述

							
		150x600 6"x24"	300x600 12"x24"	600x600 24"x24"	600x1200 24"x48"	1200x1200 48"x48"	1200x2780 48"x110"
		FORMATI - SIZES					
Spessore - Thickness		 9 mm	 9 mm	 9 mm	 9 mm	 9 mm	 6 mm
Superficie - Surface		SP SQ	SP SQ	SP SQ	SP SQ	SP SQ	SP SQ
	Palladium LY 01	AR5V	UR56	UP94	UQ03	ADY2	US07
	Nimbus LY 02	AR5W	UR57	UP95	UQ04	ADY5	US08
	Excalibur LY 03	AR5X	UR58	UP96	UQ05	ADY6	US09
	King LY 09	AFZ3	AFZ2	AFZ1	AFZ4	AHG6	-
	Venom LY 04	AR5Y	UR59	UP97	UQ06	ADY7	US10
	Afterglow LY 05	AR5Z	UR60	UP98	UQ07	ADY8	US11
	Viridium LY 06	AR6A	UR61	UP99	UQ08	-	-
	Indio LY 07	ADM5	UR62	UQ01	UQ10	-	-
	Pumpkin LY 08	AR6B	UR63	UQ02	UQ11	-	-

	Peso lordo per scatola Gross weight per box Bruttogewicht pro Karton Poids brut par boîte Peso bruto por caja Вес брутто коробки	26,92	25,78	22,26	29,57	62,21	Please refer to mirage.it
	Pezzi per scatola Pieces for box / Stück pro Karton / Pièces pour boîte / Piezas por caja Штуки/коробке	14	7	3	2	2	
	mq. scatola mq. box mq. Karton mq. boîte mq. caja Кв.м в коробке	1,26	1,26	1,08	1,44	2,88	
	Scatole / full pallet Boxes / full pallet Stück / volle Palette Pièces / palette complete Cajas / pallet completo Коробок в палете	40	40	40	35	20	
	mq./pallet	50,40	50,40	43,20	50,40	57,60	

A: DisponibileAvailable

* **Decoro su rete** Mesh-backed decoration

							
Mosaico 36T* 300x300 12"x12"	Plume 300x300 12"x12"	Foliage 323x305 12 ³ / ₄ "x12"	Battiscopa 72x600 27 ¹ / ₈ "x24"	Grad. B Ang. 330x330 13 ¹ / ₅ "x13 ¹ / ₅ "	Gradino B 330x600 13 ¹ / ₅ "x24"	Gradino A 330x1200 12"x24"	Gradino C 330x600 12"x24"
DECORI - DECORS			PEZZI SPECIALI - SPECIAL PIECES				
SP	SP	SP	SP	SP	SP	SP	SP
ADC6	ADF0	ADD4	ADB8	ACX0	ACX8	ACY6	ACZ4
ADC7	ADF1	ADD5	ADB9	ACX1	ACX9	ACY7	ACZ5
ADC8	ADF2	ADD6	ADC0	ACX2	ACY0	ACY8	ACZ6
AIC5	AID7	AID8	AIQ9	AIQ3	AIQ4	AIQ5	AIQ6
ADC9	ADF3	ADD7	ADC1	ACX3	ACY1	ACY9	ACZ7
ADD0	ADF4	ADD8	ADC2	ACX4	ACY2	ACZ0	ACZ8
ADD1	ADF5	ADD9	ADC3	ACX5	ACY3	ACZ1	ACZ9
ADD2	ADF6	ADE0	ADC4	ACX6	ACY4	ACZ2	ADA0
ADD3	ADF7	ADE1	ADC5	ACX7	ACY5	ACZ3	ADA1

[illegible]

SP: Spazzolato

CARATTERISTICHE TECNICHE
TECHNICALSPECIFICATIONS-TECHNISCHE EIGENSCHAFTEN
CARACTÉRISTIQUES TECHNIQUES - CARACTERÍSTICAS TÉCNICAS
ТЕХНИЧЕСКИЕХАРАКТЕРИСТИКИ - 技术特征

STANDARD EN 14411 - G				
	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征 CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征	NORMA STANDARD NORM NORME NORMA ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING
	SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTITUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИБИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИБИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	± 6 mm: S ≥ 1.100 N R ≥ 45 N/mm² ± 9 mm: S ≥ 2.400 N R ≥ 48 N/mm² ± 20 mm: S ≥ 12.500 N R ≥ 48 N/mm²
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCS - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUSSDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCS THERMIQUES - RESISTENCIA A LOS CHOQUES TERMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-13	UB MIN.	A LA HA
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESION DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESION DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性			SP
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性	DM 236/89 BCRA	> 0,40	> 0,40
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性	ANSI A326.3	Wet and Dry	≥ 0,42
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性	AS 4586	-	P2
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性	DIN 51130	-	R9
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性	DIN 51097	-	-
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性	UNE 41901	≥ CL1	CL1
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性	BS 7976 sl.96-4S	Wet and Dry	-
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性	BS 7976 sl.55-TRL	Wet and Dry	-

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA
Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书，请联系Mirage Spa公司

INSPIRING
BETTER
LIVING





SHOWROOM

*5 ZA Langenberg
57330 Volmergange les Mines
France
+33382506119*